

Electrical Testing per Tusonix standard test plans and Mil-Std-202 Test Methods.

MARKETING SALES DRAWING **DIMENSIONS IN INCHES - DO NOT SCALE THIS DRAWING DIMENSIONS IN METRIC - []**





CIRCUIT

NOTES:

MIN.

WORKING

VOLTAGE

- 1. TUSONIX STANDARD PART NUMBER: 4101-003. TUSONIX RoHS COMPLIANT PART NUMBER: 4101-003 LF. CUSTOMER MUST SPECIFY STANDARD OR RoHS PART NUMBER WHEN ORDERING.
- 2. LEAD FINISH: STANDARD PART #: 60/40 SOLDER PLATED. RoHS PART #: SILVER PLATED.
- 3. EYELET FINISH: STANDARD PART #: 60/40 SOLDER PLATED. RoHS PART #: SILVER PLATED.
- 4. PART MARKING: STANDARD PART: NO MARKING. RoHS PART: GREEN DOT IDENTIFIER.

I.R.

CURRENT

		CAP. (pF)		VOLTAGE (WVdc)		CURRENT Idc. (A)	MIN.@	DW' (VD((dB) AT 25°0			R MIL-ST			
				85°C	125°C	1001 (13)	100 (VDC.)	`	,	10 MHz	100 MHz		1 GHz	Hz 10 GHz		
		1750		250	125	10	10 G	500)	5	50		60	60		
	RECORD B B B D D D D D D D D D D	-	DWV & IR.	2						TOLERANCES Unless Otherwise Specified DECIMAL ± .031 [0.79]		EYELET STYLE EMI FILTER				
		P FMT.	ίς	05 0-3-02					ANGLES ± ///		Drawn S.M. 07-19-00 Scale 5 X				٦	
Rev-0	VISION Releas 289	CMP-19-00	2	원 원		TUSONIX				117	Approved T.C. 07-19-00					
X-2015 Rev-0	REV Original I C.O.	RDN TC S.M. 07 2000C	1=	S.M. 06-			TUDUNIA TUCSON, ARIZONA					Α		4101-0	03	

MINIMUM NO LOAD INSERTION LOSS