
	REVISIONS							
REV	REV ECO DESC		CRIPTION		DATE	BY	APPR	
A1	-	R	ELEASE	NUMBER		26OCT19	BROOK	TOMMY



NOTES: UNLESS OTHERWISE SPECIFIED

1. MATERIAL: COPPER ALLOY

2. PLATING: SEE PART NUMBER CHART

3. CONTACT SIZE: 20

4. SPECIFICATIONS:

4.1 CURRENT RATING: 7.5 AMPS

4.2 CONTACT MILLIVOLT DROP: 60 MILLIVOLT DROP @ 7.5 AMP TEST CURRENT.

4.3 RoHS COMPLIANT

5. RECOMMENDED WIRE RANGE: 18-16 AWG [0.75~1.0mm²]

6. AVAILABLE HAND CRIMPER: CA-5D12

7. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY

PART NUMBER CHART					
PLATING	PART NUMBER				
GOLD	AT62-005-2031				
NICKEL	AT62-005-20141				

SEE DADT NII IMBED CHADT

	SEE PART NUMBER CHART			0462-005-2031, 0462-005-20141				
	PART NUMBER			DESCRIPTION				
QUANTITY MATERIALS LIST								
UNLESS OTHERWISE SPECIFIED 1) All dimensions are in metric(mm). 2) Tolerances are as follows: 1 PL DEC ±0.30 Fractions ±1/64		SIGNATURES DATE						
		DRAWN: BROOK.DING 26OCT19			Amphenol			
2 PL DEC ±0.15 3 PL DEC ±0.08	Angles ±1°	CHECKED:	ORION.LI	26OCT19	Sine Systems - www.amphenol-sine.com			
3) Note reference = \(\times \) MATERIAL SPECIFICATIONS: PROCESS SPECIFICATIONS:		ENGINEER:			44724 Morley Drive			
		APPROVAL:	TOMMY	26OCT19	Clinton Township, MI 48036			
		CUSTOMER:			CONTACT, SOCKET, SOLID, SIZE 20,			
		SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SUBJECT TO NORMAL			16-18 AWG, A SERIES			
					A	C-	AT62-005-20XXX	A'
NEXT ASS'Y:				NS.	SCALE:	IONE	SHEET 1	of 1