


TABLE 2										
P/N	AWG	STRANDS / AWG	INSULATION OD	"H"	"J"	"K"	"P" MAX (TAB LENGTH)	"Q" MAX (VESTIGE LENGTH)	PULL FORCE (LBS)	
CC81X-2830-01-X	30	7/38	0.7366 - 0.889	.432	.838	3.180	.0075	.0010	1.5	
	30TC	7/38	0.7366 - 0.889	.432	.838	3.180	.0075	.0010	1.5	
	28	7/36	0.8128 - 0.9652	.457	.838	3.180	.0075	.0010	2	
	28TC	7/36	0.8128 - 0.9652	.457	.838	3.180	.0075	.0010	2	
CC81X-2426-01-X	26	7/34	1.2192 - 1.3716	.584	.889	3.180	.0075	.0010	3	
	24TC	7/32	1.0414 - 1.1938	.711	.889	3.180	.0075	.0010	5	
	24	7/32	1.3462-1.4986	.711	.889	3.180	.0075	.0010	5	

INSULATOR STRIP LENGTH

FIG 2 RECOMMENDED PROCESSING

UNWINDING DIRECTION






FIG 3
REEL SPECIFICATIONS

TABLE 3									
SUPPLIED	REEL PART NUMBER	֖֖֖֖֖֖֖֖֖֖֓֞֡֡֡	"M"	"N"					
-R	R-24-05.00-0.75-P	609.6	203.20	28.58					

* PROPRIETARY NOTE THIS DOCUMENT CONTAINS CONFIDENTIAL AND

PROPRIETARY INFORMATION AND ALL DESIGN,
MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS
AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMFEC,
INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, BY MEDIC
OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR
EFRODUCED, TRANSFERRED OR HOORPORATED IN
OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS
WRITTER CORSENT OF SAMTEC, IN

DO NOT SCALE DRAWING

SHEET SCALE: 8:1



520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail info@SAMTEC.com code 55322

DESCRIPTION:

2mm C.L. DISCRETE WIRE CONTACT

DWG. NO.

CC81X-XXXX-01-X

BY: J. BORGELT 3/16/09 SHEET 2 OF 2

F:\DWG\MISC\MKTG\CC81X-XXXX-01-X-MKT.SLDDRW