

# XLamp® XP-C LED Product Change Notification

Customer Name: XPC White, Blue LED Customers PCN Reference Number: CreeLED-PCN-5313

Date Issued: May 16, 2022

Please be advised that Cree LED is updating the XLamp® XP-C White and Blue LEDs with improved performance and efficacy, utilizing our latest technology platform which will result in better manufacturing flexibility and improved lead times.

Please review the additional PCN information below.

#### **Affected Product**

Table 1 provides a list of products affected by this change:

Table 1 Affected Products List

Cree LED XLamp LED Family	Cree LED XLamp LED	Cree LED Part Number
XP-C	White	XPCWHT-X1-XXXX-XXXXX
	Blue	XPCBLU-X1-XXXX-XXXXX

# **Description of the Change**


Cree LED will be changing the typical thermal resistance, typical and maximum forward voltage, and typical temperature coefficient of voltage characteristics for the affected XP-C LEDs. Table 2 shows the current and new values.

Table 2 LED Product Characteristics; Current Values & Estimated New Values

LED	Thermal Resistance, junction to solder point (°C/W)		Forward Voltage (V) @350 mA, 25 °C		Temperature Coefficient of Voltage (mV/°C)	
	Current Typical	New Typical	Current Typical	New Typical	Current Typical	New Typical
XP-C White	12	8	3.2	3.0	-4.0	-1.0
XP-C Blue	12	7	3.3	2.9	-4.0	-1.0

The following graph shows the improved Forward Voltage vs Current curves.






The visual appearance of the LED will change. Examples of the current and new visual appearances are shown below.

Figure 1 XP-C White Appearance Comparison

### **Current Appearance**



**New Appearance** 






Figure 2 XP-C Blue Appearance Comparison

#### **Current Appearance**



#### **New Appearance**





Ray files for the new LEDs will be available on cree-led.com on or before August 1, 2022.

# **Reason for the Change**

This change will upgrade the performance of XLamp® XP-C White and Blue LEDs utilizing our latest technology platform. Additionally, this change will result in better manufacturing flexibility and improved lead times.

# **Change Impact on Form, Fit, Function, or Reliability**

This change has no impact on the form, fit, or reliability of these LEDs beyond the changes listed above.

# **Key Dates**

Table 3 provides estimated date for initial shipments of the LEDs affected by this change. Any updates to these dates can be provided by the Cree LED contact listed in Table 3.

Table 3 Key PCN Estimated Dates

Estimated Initial Ship Date: August 10, 2022

Starting on the estimated shipment date in Table 3, customers may receive LEDs with the updated performance characteristics. Each reel will contain only LEDs with the current performance or only LEDs with the new performance characteristics. Reels of the new performance LEDs can be identified by a 'C' in the last character of the bin code. The bin code is clearly identified on each packaged reel.

Current and new performance LEDs will not be contained in the same shipment. Current performance LEDs will be shipped until Cree LED's inventory of the current performance LEDs is depleted. Customers purchasing through a distributor will be further delayed seeing this change until the inventory with the current performance is depleted from distributor stock.

The XP-C LED datasheet available on the Cree LED website will be updated with changes described in this PCN on or before the Estimated Initial Ship Date in Table 3.



### **Cree LED Contact Information**

If you have any questions regarding this PCN please contact:

Table 4 PCN Contact

Contact:	Cree LED Customer Service	
Contact E-Mail:	xlampsales@cree-led.com	
Contact Phone:	US toll free: 1-844-273-3533 Outside the US: +1 919-313-5301	
Address:	CreeLED, Inc. 4400 Silicon Dr Durham, NC 27703-8475 USA	