	Specifications No.		
Messrs.			
(first · revised)	Specificati	ons	
Product No : Quartz Crystal Unit	SP-T7-F		
Item code : Q-SPT7H0327620C5	GL		
Product form \therefore 32.768kHz \pm 20 x 1	0 ⁻⁶ / 12.5 pF		
The number of copies : 1copy			
Date of Registrantion :			
Receipt Column	Note		
NOTICE			
1. Advance agreement will be needed before cha	nging any contents of the spe	ecification herein.	
2. Provided that the information herein is subject			
3. When the product described herein includes Regulated Products subject The Wassenaar Arrangement etc, they may not be exported without authorization form the appropriate governmental authorities.			
4. The contents of this specification including all figures and illustrations are proprietary information (copyright or know-how) of Seiko Instruments Inc. It is strictly prohibited to copy all or part of these specifications to third parties without permission.			
5. In the case that the products described herein are used as part of any devices or equipment which might influence any one of the human body, human life and property, such as physical exercise equipment, medical equipment or vehicles, please let us know that.			
Seiko Instruments Inc.	Dept. of Issue	Dept. of Control	
Quartz Crystal Division Network Components Business	Sales Section	Quality Assurance Section	
1-8, Nakase, Mihamaku, Chiba shi, Chiba 261-8507 Japan			

1.Scope

These specifications apply to QUARTZ CRYSTAL RESONATORS (hereinafter referred to as RESONATORS) to be manufactured by Seiko Instruments Inc. (hereinafter referred to as <u>SII</u>) to _____

2.Designation

RESONATORS are designated "SSP-T7-F"(32.768kHz).

3.Shape and dimensions

As per the SSP-T7-F drawing shown on page 5.

4.Electrical characteristics

Specified on page 2 through 3.

5.Shipment and packaging

5.1 (3,000) pcs are the standard lot size to which the lot number shall be allotted 5.2 The packaging shall conform to the resonator packaging standards.

6.Outgoing inspection

- 6.1 When mutually agreed, the outgoing inspection shall be conducted as per the standard on page 4.
- 6.2 The outgoing inspection slip is not basically affixed to each packaging.

7.Warranty

In the event that any defective RESONATORS or defective lot is found at incoming inspection at ______ and that any defect resulting from failures in process-control at SII after incoming inspection is found, good RESONATORS shall be supplied to _______ free of charge as a replacement . In the event that any trouble or problems rising directly from RESONATORS occurs, it will be amicably settled between both parties, provided that warranty shall be done within the score of replacement of good RESONATORS.

8.Amendment or abolition of the specifications

Amendment or abolition of the specifications shall be made upon mutual consent between ______ and SII. If any problem arises , it shall be amicably settled between both parties.

9.Effectiveness of the specifications

These specifications are effective after receipt of returned copies with your approved sign.

10.Ohters

RoHS compliant

These products use Pb in high melting temperature type solders exempted by RoHS directive.

Resin inluding brominated Flame retardant and Antnimony Trioxide (Sb203), is not used on the product.

[1] The maximum rating

	Item	Symbol	Rating	Note
1	1 Storage temperature range T_		-55 ~ +125	
2	2 Maximum drive level DL max.		1.0 µW max.	

[2] Recommended Operating Condition

	Item	Symbol	Rating	Note
1	Operating temperature range	T_use	-40 ~ +85	
	2 Drive level		0.1 µW typ.	

[3	[3] Electrical -Characteristics			Measurement temperature : 25±2
	Item	Symbol	Specifications	Conditions
1	Nominal frequency	f_nom	32.768 kHz	
2	Frequency tolerance	f_tol	± 20 × 10 ⁻⁶	
3	Load capacitance	CL	12.5 pF	
4	Motional resistance	R ₁	65 kΩ max.	Measured with ATI 4192A Impedance analyzer. OSC LEVEL = 0.1V
5	Q-value	Q	40 × 10 ³ min.	calculated with the following equation: $Q=(2\pi \cdot F_1 \cdot L_1)/R_1$
6	Motional capacitance	C ₁	1.9 fF typ.	
7	Shunt capacitance	C ₀	0.8 pF typ.	Measured with ATI 4192A Impedance analyzer. OSC LEVEL = 0.1V
8	Turnover temperature	Ti	25 ± 5	Measure this coefficient at 3 points of 10 、25 、and 40 using
9	Parabolic coefficient	В	(-3.5±1.0) × 10 ⁻⁸ / ²	C-MOS circuit.
10	Frequency ageing	f_age	± 5 × 10 ⁻⁶ / year	25±3 、 First year
11	Insulation resistance	IR	500 MΩ min.	Measured with ATI 4329A Insulation Resistance Meter. Apply DC100V.

			- J	
No	Item	Specifications	Conditions	
1	High temperature storage	$f/f = \pm 10 \times 10^{-6}$	After storage under 85 for 500 hrs,	*1
			measure at room temperature.	
2	Low temperature storage	f/f =±10 × 10 ⁻⁶	After storage under -40 for 500	*1
			hrs, measure at room temperature.	
3	High temperature and	f/f =±10 × 10 ⁻⁶	After storage under 60 ±2 , 90 to	*1
	high humidity storage		95% RH for 500 hrs, measure at room	
			temperature.	
4	Thermal shock resistance	$f/f = \pm 10 \times 10^{-6}$	Measured at room temperature after	*1
			20 cycles.	
			-25 +80 for 30 minutes.	
5	Mechanical shock resistance	$f/f = \pm 5 \times 10^{-6}$	Measure after free drop of the	*2
			RESONATOR three times from the	
			height of 75cm onto a wooden board.	
6	Vibration resistance	f/f =±5 × 10 ⁻⁶	Amplitude 1.5mm and 10 ~ 60Hz with	*2
			cycle time 2 ~ 3 minutes in 3 direction	
			(X,Y,and Z axis)each for 2 hrs.	
7	IR Reflow	$f/f = \pm 10 \times 10^{-6}$	Measure after 1 time reflow under	*1
			reflow profile specified in page 10	

[4] Environment-proof · Mechanical property

Note:

1. The adove tests no. 1 to 7 must be conducted independently (not series tests)

2. *1: Measure after 24 hours soak at room temperature .

3. *2: Measure after 2 hours soak at room temperature .

4. R1 is $85k\Omega$ max. after the each above tests.

[5] Precautions

(1) Recommended mounting conditions
Reflow profileAs per reflow profile shown in page 10.
350 max. for 4 sec. max.

(2) Cleaning

The crystal resonator may be destroyed by ultrasonic cleaning. We don't guarantee the quality of the product with that cleaning method because such conditions as type of the washing machine, power, time, position in the bath, etc. can not be specified.

Please confirm ultrasonic cleaning is not giving any damage to the product before use when that cleaning method must be used.

[6] Outgoing inspection standard

 \cdot The outgoing inspection shall be conducted as per the following standard .

• The sampling shall be performed according to the ANSI/ASQCZ1.4-1996 .

No	Item	Sampling level	AQL(%)
1	Frequency tolerance		1.0
2	Equivalent series resistance		1.0
3	Outer appearance		1.5
4	Others characteristics	Periodical quality insp	pection



SnBip 7.5 µ m



[8] Taping specification

1. Drawing of tape dimensions

Carrier tape see Drawing page 8. Reel for carrier tape see Drawing page 9.

2. Material

Carrier tape : PS Reel for carrier tape : HIPS

- 3. Taping method
 - (1) Taping shall be placed in tapes in such manner as to assure that marking of the components is visible as per Fig. 1



On the side of reel there shall be more than 20 blocks of "No components". The beginning of Carrier Tape shall be bent vertically and hooked on groove of reel.

(3) Leader

(2) Reel

On the side of leader, there shall be more than 20 blocks of "No components " The length of Leader shall be over 400 mm.

The Length of Stick Tape for Cover Tape shall be about 100 mm and Stick Tape shall never be detached.



- (4) Gap between Carrier Tape and Cover Tape Cover Tape protrudes from Carrier Tape by 0.5mm max.
 - <u>Fig. 3</u>



Holes of Carrier Tape are covered with Cover Tape by 0.75mm max.



(5) Peel strength

The method of testing is done as shown below.

The value of force is at the beginning of desealing.

The Cover Tape peel forth shall be $0.1 \sim 1.3N$ at a peel speed of 300 ± 10 mm/min.



Carrier tape

- (1) Conforms with EIA 481
- (2) Tolerance : ± 0.2



Unit = mm

Taping reel

- (1) Conforms with EIAJ ET-7200B
- (2) Quantity per reel : 3,000pcs./ for a reel







Note: The temperature used herein means the temperature on the circuit board.

Reflow : 2 times max.

[10] Outside box packing specification





[Figure 3]

- (5) Storage quantity · It makes N=3,000 pieces/Lot
- (6) Sample of the label display (display department, please refer to [Figure 1] [Figure 2])

	PART	SSP-T7-F	
Product bar code	Lot No.		
	Quantity	3 , 000 pcs	
Item bar code*	Calibre	32.768kHz	
		$12.5 \text{pF}/\pm 20 \times 10^{-6}$	
Quantity Lot. No. bar code	Remar	ks	
3,000 XXXX			

PART	:	Our company product name
Lot No.	:	Lot No. display
Quantity	:	Quantity
Calibre	:	Frequency, CL value, F0 deviation
Remarks	S:	Marking etc.
*	:	Item code

[7] Storage environment

A product avoids the direct ray and please store with the normal temperature and humidity .

* Temperature : 5 to 30 * Humidity range : 80% max.