

MARKETING SALES DRAWING DIMENSIONS IN INCHES - DO NOT SCALE THIS DRAWING DIMENSIONS IN METRIC - []

Electrical Testing per Tusonix standard test plans and Mil-Std-202 Test Methods.



ORIENTATION

CIRCUIT



NOTES:

- 1. TUSONIX STANDARD PART NUMBER: 4253-001.
 TUSONIX RoHS COMPLIANT PART NUMBER: 4253-001 LF.
 CUSTOMER MUST SPECIFY STANDARD OR RoHS PART NUMBER WHEN ORDERING.
- 2. LEAD FINISH: STANDARD PART #: 60/40 SOLDER PLATED. RoHS PART #: SILVER PLATED.
- 3. PART MARKING: TRADEMARK AND VARIATION NUMBER ON HEX FLATS. STANDARD PART: BLACK INK. RoHS PART: GREEN INK.

WORKING VOLTAGE CURRENT

			- 1	MIN. Cx			WORKING VOLITIOE		CONNEINT	PER MIL-STD-220						
				IVIII	. 07	`		125°C	VDC	10	MHz	100 MHz	10	SHz	10 GHz	
			2	25,00)0 p	F		100 VDC	10 A		30	65	7	0	70	
RECORD	0	DIM'S. REV. TITLE CHGD. E.C. 5-26-92		DIM'S, REV. TITLE CHGD. E.C. 5-26-92	01071	ADDED NOTES 1-3. S.M. 06-15-05	3			H	TOLERANCES Unless Otherwise Specified		Title MULTILAYER BUSHING STYLE			
SE SE							.M. 06-15-				DECIMA	<u> </u>	EMI FILTER			
SION F	Original Release C.O. 6611										ANGLE	S ± .031[0.79]	Drawn	S.M. 0)7-17-01	Scale 3 X
⊚ ⋝											TUSONIX TUCSON, ARIZONA	Approved T.C. 07-17-01				
X-2015 R													Α		4253-00	1

MINIMUM NO LOAD INSERTION LOSS @ 25°C (dB)